

HEC

ELECTRIC
HEATING ELEMENTS
FOR TOWEL RAILS



Benefits

Take advantages of all HEC benefits:


- › Connect to the central heating system or create autonomous electrical system
- › Regulate temperature and time of heating
- › Warm your apartment also after heating season
- › Protect installation against freezing
- › Eliminate the problem of hanging cables thanks to cover cable
- › Set the controller according to your needs – possibility of rotates controller by 330°
- › Install devices with cable without bathroom renovation



Functionality



2x TIMER 2h



Temperature regulation
from 30°C to 60°C



Two-level
overheating protection



Possibility of rotates
controller by 330°



Low power consumption



Protection against freezing
(ANTIFREEZE)

User-friendly interface

- 
- > Higher temperature
 - > **TIMER TURBO** – after 2h working in temperature 60°C the heater will return to the previous settings

ON/OFF

- > Lower temperature
- > **TIMER START/STOP** – after 2h working in temperature 60°C the heater will automatically switched off

What do you get with HEC?

- > **COMFORT** – no more moisture in bathroom
- > **LUXURY / WELL-BEING** – always warm and dry towels
- > **ECO FRIENDLY** – low power consumption in standby mode
- > **SAFETY** – two-levels overheating protection
- > **CLEAN MIND** – no more cold in your house
- > **MONEY IN POCKET** – adjust time of heating to your needs
- > **DESIGN** – adopt to any style and types of radiator
- > **COMMUNICATION** – LED panels indicated temperature and activated function

Adjust electric heating elements to your heater

| Towel Rail power [W] (75/65/20°C) | Electric heating elements power [W] |
|-----------------------------------|-------------------------------------|
| <140 | 120 |
| 140 - 260 | 200 |
| 260 - 380 | 300 |
| 380 - 520 | 400 |
| 520 - 620 | 500 |
| 620 - 750 | 600 |
| 750 - 890 | 800 |
| 890 - 1100 | 1000 |
| 1100 - 1500 | 1200 |

Technical parameters

- Nominal voltage: 230V, 50 Hz
- Insulation class: Class I
- Ingress protection class: IPX4
- Radiator connection: ½"

Colours of thermostat



chrome



white



silver



black matt



black



on request


Types of connection



- › masking cables › straight cable › spiral cable

Dimensions

- › Height [h]: 56 mm
› Width [w]: 56 mm
› Depth [d]: 38 mm



Contact

contact to distributor